

Canadian Geotechnical Journal

Contents
Volume 42, 2005

Revue canadienne de géotechnique

Sommaire
Volume 42, 2005

February / Février

ARTICLES / ARTICLES

- B.C. Hawlader, K.Y. Lo, and I.D. Moore** Analysis of tunnels in shaly rock considering three-dimensional stress effects on swelling 1
- A.G. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and K.T. Law** Field-monitored variations of soil moisture and matric suction in a saprolite slope 13
- Amit Prashant and Dayakar Penumadu** A laboratory study of normally consolidated kaolin clay 27
- Jean-Marie Konrad** Estimation of the segregation potential of fine-grained soils using the frost heave response of two reference soils 38
- Ignacio Escuder, Joaquin Andreu, and Manuel Rechea** An analysis of stress-strain behaviour and wetting effects on quarried rock shells 51
- Jean Côté and Jean-Marie Konrad** Thermal conductivity of base-course materials 61
- Paul Chiasson** Methods of interpretation of borehole falling-head tests performed in compacted clay liners 79
- Yung-Mook Na, Victor Choa, Cee-Ing Teh, and Ming-Fang Chang** Geotechnical parameters of reclaimed sandfill from the cone penetration test 91
- M.A. Shahin, M.B. Jaksa, and H.R. Maier** Neural network based stochastic design charts for settlement prediction 110
- Giovanni Cascante, John Vanderkooy, and Wilson Chung** A new mathematical model for resonant-column measurements including eddy-current effects 121
- Branko Ladanyi and Hugo Longtin** Short- and long-term sharp cone tests in clay 136
- S. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and S.W. Yan** Slope failure in underconsolidated soft soils during the development of a port in Tianjin, China. Part 1: Field investigation 147
- S. Li, Z.Q. Yue, L.G. Tham, C.F. Lee, and S.W. Yan** Slope failure in underconsolidated soft soils during the development of a port in Tianjin, China. Part 2: Analytical study 166
- Sylvie Buteau, Richard Fortier, and Michel Allard** Rate-controlled cone penetration tests in permafrost 184
- J.-M. Konrad and G. Grondin** A practical design approach for reducing the occurrence of shallow slides in cohesionless till highway embankments 198
- Mustafa A. Samad and Ernest K. Yanful** A design approach for selecting the optimum water cover depth for subaqueous disposal of sulfide mine tailings 207
- Aurelian Catalin Trandafir and Kyoji Sassa** Seismic triggering of catastrophic failures on shear surfaces in saturated cohesionless soils 229
- NOTES / NOTES
- Jeff R. Reinson, Delwyn G. Fredlund, and G. Ward Wilson** Unsaturated flow in coarse porous media 252
- Deepankar Choudhury and K.S. Subba Rao** Seismic uplift capacity of inclined strip anchors 263
- D.Y. Zhu, C.F. Lee, Q.H. Qian, and G.R. Chen** A concise algorithm for computing the factor of safety using the Morgenstern-Price method 272
- Anushka Shibchurn, Paul J. Van Geel, and Paula L. Kennedy** Impact of density on the hydraulic properties of peat and the time domain reflectometry (TDR) moisture calibration curve 279
- Anh-Minh Tang and Yu-Jun Cui** Controlling suction by the vapour equilibrium technique at different temperatures and its application in determining the water retention properties of MX80 clay 287
- M. Hesham El Naggat and Abdul Ghafar Chehab** Vibration barriers for shock-producing equipment 297

Sudhakar M. Rao and P. Shivananda Role of osmotic suction in swelling of salt-amended clays	307
DISCUSSIONS / DISCUSSIONS	
J.J. Crowder and M.W. Grabinsky Discussion of "Assessment of the modified slump test as a measure of the yield stress of high-density thickened tailings"	316
S.K.Y. Gawu and A.B. Fourie Reply to the discussion by Crowder and Grabinsky on "Assessment of the modified slump test as a measure of the yield stress of high-density thickened tailings"	319
J.F. (Derick) Nixon and Åke L. Vebo Discussion of "Frost heave and pipeline upheaval buckling"	321
James M. Oswell, Darren Skibinsky, and Paul Cavanagh Discussion of "Frost heave and pipeline upheaval buckling"	323
Andrew C. Palmer and Peter J. Williams Reply to the discussions by Nixon and Vebo and Oswell et al. on "Frost heave and pipeline upheaval buckling"	325
Instructions to Authors	I1
Recommandations aux auteurs	R1
April / Avril	
ARTICLES / ARTICLES	
Benjamin E. Wickland and G. Ward Wilson Self-weight consolidation of mixtures of mine waste rock and tailings	327
H. Rahardjo, T.T. Lee, E.C. Leong, and R.B. Rezaur Response of a residual soil slope to rainfall	340
N. Dolzhenko et P. Mathieu Étude expérimentale des phases de creusement d'un tunnel à l'aide d'un modèle réduit bidimensionnel	352
M. Hesham El Naggar, Mohsen Ali Shayanfar, Mehrdad Kimiaei, and Ali Akbar Aghakouchak Simplified BNWF model for nonlinear seismic response analysis of offshore piles with nonlinear input ground motion analysis	365
Eduardo E. Alonso and Vicente Navarro Microstructural model for delayed deformation of clay: loading history effects	381
Alcibiades Serrano, Claudio Olalla, and Jesús Manzanos Stability of highly fractured infinite rock slopes with nonlinear failure criteria and nonassociated flow laws	393
Lukas U. Arenson and Sarah M. Springman Triaxial constant stress and constant strain rate tests on ice-rich permafrost samples	412
Lukas U. Arenson and Sarah M. Springman Mathematical descriptions for the behaviour of ice-rich frozen soils at temperatures close to 0 °C	431
Jean Côté and Jean-Marie Konrad A generalized thermal conductivity model for soils and construction materials	443
Marika Santagata and John T. Germaine Effect of OCR on sampling disturbance of cohesive soils and evaluation of laboratory reconsolidation procedures	459
Sadik Oztoprak and S. Feyza Cinicioglu Soil behaviour through field instrumentation	475
Dae-Sang Kim and Kazuo Konagai Simple approach to obtain ground amplification motion of surface soil deposits with a radical change of depth	491
P.H. Simms and E.K. Yanful A pore-network model for hydromechanical coupling in unsaturated compacted clayey soils	499
J.-M. Konrad and N. Lemieux Influence of fines on frost heave characteristics of a well-graded base-course material	515
J. Chu, M.H. Goi, and T.T. Lim Consolidation of cement-treated sewage sludge using vertical drains	528
G.L. Sivakumar Babu and Rajaparthi S. Rao Reliability measures for buried flexible pipes	541
Dharma Wijewickreme, Somasundaram Sriskandakumar, and Peter Byrne Cyclic loading response of loose air-pluviated Fraser River sand for validation of numerical models simulating centrifuge tests	550
Nainan P. Kurian and V.M. Jayakrishna Devaki Analytical studies on the geotechnical performance of shell foundations	562
John A. Howie and Ali Amini Numerical simulation of seismic cone signals	574
Nicolas Pollet, Roger Cojean, Réjean Couture, Jean-Luc Schneider, Alexander L. Strom, Claire Voirin, and Patrick Wassmer A slab-on-slab model for the Flims rockslide (Swiss Alps)	587
Li Li, Michel Aubertin, Richard Simon, and Bruno Bussi�re Formulation and application of a general inelastic locus for geomaterials with variable porosity	601
NOTES / NOTES	
In-Mo Lee, Sang-Gyu Sung, and Gye-Chun Cho Effect of stress state on the unsaturated shear strength of a weathered granite	624

Abidin Kaya and Hsai-Yang Fang Experimental evidence of reduction in attractive and repulsive forces between clay particles permeated with organic liquids	632
Dieter Stolle and Peijun Guo A practical approach to falling-weight deflectometer (FWD) data reduction	641
Abbas Soroush and Mohammad Soroush Parameters affecting the thickness of bentonite cake in cutoff wall construction: case study and physical modeling	646
W.J. McCarter, J. Blewett, T.M. Chrisp, and G. Starrs Electrical property measurements using a modified hydraulic oedometer	655
Ernesto Ausilio and Enrico Conte Influence of groundwater on the bearing capacity of shallow foundations	663
Mustafa Fener, Sair Kahraman, Yakup Bay, and Osman Gunaydin Correlations between <i>P</i> -wave velocity and Atterberg limits of cohesive soils	673
Guofu Zhu and Jian-Hua Yin Consolidation of a soil layer subsequent to cessation of deposition	678
Zamri Chik and Luis E. Vallejo Characterization of the angle of repose of binary granular materials	683
T.G. Sitharam, S. Sireesh, and Sujit Kumar Dash Model studies of a circular footing supported on geocell-reinforced clay	693
BOOK REVIEW / CRITIQUE DE LIVRE	
D.M. Cruden Debris flow: phenomenology and rheological modelling	704

June / Juin

ARTICLES / ARTICLES

Robert P. Chapuis Numerical modeling of rising-head permeability tests in monitoring wells after lowering the water level down to the screen	705
Harry George Poulos and Andrew J. Davids Foundation design for the Emirates Twin Towers, Dubai	716
Olivier Cuisinier et Farimah Masrouri Influence de sollicitations hydriques et mécaniques complexes sur le comportement d'un sol gonflant compacté	731
Xilin Lu, Peizhen Li, Bo Chen, and Yueqing Chen Computer simulation of the dynamic layered soil–pile–structure interaction system	742
R.W.I. Brachman and R.P. Krushelnitzky Response of a landfill drainage pipe buried in a trench	752
Graeme D. Skinner and R. Kerry Rowe A novel approach to estimating the bearing capacity stability of geosynthetic reinforced retaining walls constructed on yielding foundations	763
Bożena Pączkowska Electroosmotic introduction of methacrylate polycations to dehydrate clayey soil	780
Yasuhiko Okada, Kyoji Sassa, and Hiroshi Fukuoka Undrained shear behaviour of sands subjected to large shear displacement and estimation of excess pore-pressure generation from drained ring shear tests	787
Lakshmi N. Reddi, Ming Xiao, Malay G. Hajra, and In Mo Lee Physical clogging of soil filters under constant flow rate versus constant head	804
J.L.H. Grozic, S.M.R. Imam, P.K. Robertson, and N.R. Morgenstern Constitutive modeling of gassy sand behaviour	812
S.M. Reza Imam, Norbert R. Morgenstern, Peter K. Robertson, and David H. Chan A critical-state constitutive model for liquefiable sand	830
Sheng-Yao Lai, Ping-Sien Lin, Ming-Jyh Hsieh, and Hoi-Fung Jim Regression model for evaluating liquefaction potential by discriminant analysis of the SPT <i>N</i> value	856
M.A. Ismail Performance of cement-stabilized retaining walls	876
A.B. Fourie and L. Tshabalala Initiation of static liquefaction and the role of K_0 consolidation	892
Marten Geertsema and J. Kenneth Torrance Quick clay from the Mink Creek landslide near Terrace, British Columbia: Geotechnical properties, mineralogy, and geochemistry	907
Fumitoshi Imaizumi, Satoshi Tsuchiya, and Okihiro Ohsaka Behaviour of debris flows located in a mountainous torrent on the Ohya landslide, Japan	919
Richard Martel, Stéfan Foy, Laurent Saumure, Annie Roy, René Lefebvre, René Therrien, Uta Gabriel, and Pierre J. Gélinas Polychlorinated biphenyl (PCB) recovery under a building with an in situ technology using micellar solutions	932

NOTES / NOTES

Guofu Zhu and Jian-Hua Yin Solution charts for the consolidation of double soil layers	949
---	------------

- S.K. Haigh, B. Ghosh, S.P.G. Madabhushi** Importance of time step discretisation for nonlinear dynamic finite element analysis 957
- Sanchai Mitaim and Emmanuel Detournay** Determination of ground reaction curve for hyperbolic soil model using the hodograph method 964

DISCUSSIONS / DISCUSSIONS

- Gholamreza Mesri** Discussion of "Viscous behaviour of St-Roch-de-l'Achigan clay, Quebec" 969
- Maria Esther Soares Marques, Serge Leroueil, and Márcio de Souza Soares de Almeida** Reply to the discussion by Mesri on "Viscous behaviour of St-Roch-de-l'Achigan clay, Quebec" 971
- Renato V. Clementino** Discussion of "An oedometer test study on the preconsolidation stress of glaciomarine clays" 972
- J.L.H. Grozic, T. Lunne, and S. Pande** Reply to the discussion by Clementino on "An oedometer test study on the preconsolidation stress of glaciomarine clays" 975

August / Août

ARTICLES / ARTICLES

- M.M. Ahmadi, P.M. Byrne, and R.G. Campanella** Cone tip resistance in sand: modeling, verification, and applications 977
- Buddhima Indraratna, Cholachat Rujikiatkamjorn, and Iyathurai Sathananthan** Analytical and numerical solutions for a single vertical drain including the effects of vacuum preloading 994
- Charles W.W. Ng and Gordon T.K. Lee** Three-dimensional ground settlements and stress-transfer mechanisms due to open-face tunnelling 1015
- D.M. McClung** Risk-based definition of zones for land-use planning in snow avalanche terrain 1030
- Barry M. Lehane and David J. White** Lateral stress changes and shaft friction for model displacement piles in sand 1039
- V.P. Drnevich, A.K. Ashmawy, X. Yu, and A.M. Sallam** Time domain reflectometry for water content and density of soils: study of soil-dependent calibration constants 1053
- Kianoosh Hatami and Richard J. Bathurst** Development and verification of a numerical model for the analysis of geosynthetic-reinforced soil segmental walls under working stress conditions 1066
- L.M. Zhang, D.Q. Li, and Wilson H. Tang** Reliability of bored pile foundations considering bias in failure criteria 1086
- S.-W. Yan and J. Chu** Soil improvement for a storage yard using the combined vacuum and fill preloading method 1094
- O. Meric, S. Garambois, D. Jongmans, M. Wathelet, J.L. Chatelain, and J.M. Vengeon** Application of geophysical methods for the investigation of the large gravitational mass movement of Séchilienne, France 1105
- A.J. Cooke, R.K. Rowe, and B.E. Rittmann** Modelling species fate and porous media effects for landfill leachate flow 1116
- Robert P. Chapuis, Djaouida Chenaf, Nelson Acevedo, Denis Marcotte, and Michel Chouteau** Unusual drawdown curves for a pumping test in an unconfined aquifer at Lachenaie, Quebec: field data and numerical modeling 1133
- T. Iryo and R.K. Rowe** Infiltration into an embankment reinforced by nonwoven geotextiles 1145
- Manuel Melis Maynar and Luis Medina Rodriguez** Predicted versus measured soil movements induced by shield tunnelling in the Madrid Metro extension 1160
- Reagan McIsaac and R. Kerry Rowe** Change in leachate chemistry and porosity as leachate permeates through tire shreds and gravel 1173

NOTES / NOTES

- S.K. Carey, S.L. Barbour, and M.J. Hendry** Evaporation from a waste-rock surface, Key Lake, Saskatchewan 1189
- Y. Wang and C.W.W. Ng** Effects of stress paths on the small-strain stiffness of completely decomposed granite 1200
- Robert P. Chapuis, Véronique Dallaire, Denis Marcotte, Michel Chouteau, Nelson Acevedo, and Francis Gagnon** Evaluating the hydraulic conductivity at three different scales within an unconfined sand aquifer at Lachenaie, Quebec 1212
- Rolf Larsson and Helen Åhnberg** On the evaluation of undrained shear strength and preconsolidation pressure from common field tests in clay 1221
- Y.M. Cheng and S.K. Au** Solution of the bearing capacity problem by the slip line method 1232

October / Octobre

ARTICLES / ARTICLES

- Zhong W. Wang, Charles W.W. Ng, and Guo B. Liu** Characteristics of wall deflections and ground surface settlements in Shanghai 1243

Venanzio R. Greco Active earth thrust by backfills subject to a line surcharge	1255
Yung-Shan Hong, Rong-Her Chen, Cho-Sen Wu, and Jian-Ren Chen Shaking table tests and stability analysis of steep nailed slopes	1264
A. Kaya and Y. Yukselen Zeta potential of clay minerals and quartz contaminated by heavy metals	1280
Grant Ferguson and Allan D. Woodbury Thermal sustainability of groundwater-source cooling in Winnipeg, Manitoba	1290
M.M. Ahmadi and P.K. Robertson Thin-layer effects on the CPT q_c measurement	1302
Ruiping Guo, Jason Martino, and David Dixon Fully coupled thermohydraulic modelling of the sealing bulkheads and adjacent rock in a full-scale underground test	1318
Buddhima Indraratna, Cholachat Rujikiatkamjorn, and Iyathurai Sathananthan Radial consolidation of clay using compressibility indices and varying horizontal permeability	1330
D.Y. Zhu, C.F. Lee, D.H. Chan, and H.D. Jiang Evaluation of the stability of anchor-reinforced slopes	1342
Brendan C. O'Kelly Consolidation properties of a dewatered municipal sewage sludge	1350
R. Kerry Rowe and T. Iryo Effect of geosynthetics on the hydraulic performance of leak-detection systems	1359
Matthew D. Alexander and Kerry T.B. MacQuarrie The measurement of groundwater temperature in shallow piezometers and standpipes	1377
Elisabeth T. Bowman and Kenichi Soga Mechanisms of setup of displacement piles in sand: laboratory creep tests	1391
Dharma Wijewickreme, Maria V. Sanin, and Graham R. Greenaway Cyclic shear response of fine-grained mine tailings	1408
Gordon A. Fenton, D.V. Griffiths, and W. Cavers Resistance factors for settlement design	1422
Scott McDougall and Oldrich Hungr Dynamic modelling of entrainment in rapid landslides	1437
S. Škrabl and B. Macuh Upper-bound solutions of three-dimensional passive earth pressures	1449
B.D. Smerdon, C.A. Mendoza, and A.M. McCann Quantitative investigations of the hydraulic connection between a large reservoir and a buried valley aquifer in southern Alberta	1461

NOTES / NOTES

Jyant Kumar and Priyanka Ghosh Bearing capacity factor N_γ for ring footings using the method of characteristics	1474
Su-Hyung Lee and Choong-Ki Chung An experimental study of the interaction of vertically loaded pile groups in sand	1485

December / Décembre

ARTICLES / ARTICLES

Emilio E. Saldivar and Richard J. Jardine Application of an effective stress design method to concrete piles driven in Mexico City clay	1495
Inge Meilani, Harianto Rahardjo, and Eng-Choon Leong Pore-water pressure and water volume change of an unsaturated soil under infiltration conditions	1509
A. Azizian and R. Popescu Finite element simulation of seismically induced retrogressive failure of submarine slopes	1532
Hung Q. Pham, Delwyn G. Fredlund, and S. Lee Barbour A study of hysteresis models for soil-water characteristic curves	1548
Antônio Thomé, Maciel Donato, Nilo Cesar Consoli, and James Graham Circular footings on a cemented layer above weak foundation soil	1569
J.H. Shin, D.M. Potts, and L. Zdravkovic The effect of pore-water pressure on NATM tunnel linings in decomposed granite soil	1585
A.J. Cooke, R.K. Rowe, J. VanGulck, and B.E. Rittmann Application of the BioClog model for landfill leachate clogging of gravel-packed columns	1600
Björn Weeks and G. Ward Wilson Variations in moisture content for a soil cover over a 10 year period	1615
Piernicola Lollino, Federica Cotecchia, Lidija Zdravkovic, and David M. Potts Numerical analysis and monitoring of Pappadai dam	1631
Tang-Tat Ng Behavior of gravity deposited granular material under different stress paths	1644
Daniel Dias et Richard Kastner Modélisation numérique de l'apport du renforcement par boulonnage du front de taille des tunnels	1656
Sean D. Hinchberger and R. Kerry Rowe Evaluation of the predictive ability of two elastic-viscoplastic constitutive models	1675

NOTES / NOTES

- Tahirou Assane Oumarou and Erman Evgin** Cyclic behaviour of a sand – steel plate interface **1695**
- Li Li, Michel Aubertin, and Tikou Belem** Formulation of a three dimensional analytical solution to evaluate stresses in backfilled vertical narrow openings **1705**

COMMENT / COMMENTAIRE

- J.B. Burland and A. Federico** Comment on “Use of the ranking distance as an index for assessing the accuracy and precision of equations for the bearing capacity of piles and at-rest earth pressure coefficient” **1718**
- T.L.L. Orr and C. Cherubini** Response to the comment by Burland and Federico on: “Use of the ranking distance as an index for assessing the accuracy and precision of equations for the bearing capacity of piles and at-rest earth pressure coefficient” **1720**

BOOK REVIEW / CRITIQUE DE LIVRE

- D.M. Cruden** Debris-flow hazards and related phenomena **1723**
- Author index for Volume 42 / Index des auteurs pour le volume 42 **AI-1**
- Contents for Volume 42 / Sommaire pour le volume 42 **C-1**